Notice of Allowability	Application No.	Applicant(s)	11C)
	10/612,245	JAMEEL ET AL.	W
	Examiner	Art Unit	-
	Gregory A. Wilson	3749	
	Gregory A. Wilson	3749	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to interview of 5/27/04.			
2. The allowed claim(s) is/are <u>1-31 and 33-37.</u>			
3. The drawings filed on <u>02 July 2003</u> are accepted by the Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:			
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5.	atent Application (PTO-1	52)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date 98), 7. ⊠ Examiner's Amendm	e nent/Comment	
Paper No./Mail Date	8. Examiner's Stateme	nt of Reasons for Allowa	nce
of Biological Material	9. Other		
GREGORY WILSON PRIMARY EXAMINER			

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Mehrman on May 26, 2004.

The application has been amended as follows:

In claim 1, line 8, delete "one or more of",

In line 9, after "fluids" add – including turning on or off each separately controlled cleaning fluid applicator without have to install a device on or remove a device from the lance tube. --

In claim 21, line 15, after "condition", add – including turning on or off each separately controlled cleaning fluid applicator without have to install a device on or remove a device from the lance tube. --

In claim 27, line 17, after "condition", add – including turning on or off each separately controlled cleaning fluid applicator without have to install a device on or remove a device from the lance tube. --

Application/Control Number: 10/612,245 Page 3

Art Unit: 3749

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory A. Wilson whose telephone number is (703) 308-1239. The examiner can normally be reached on 7 am - 4:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on (703)308-1935. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GREGORY WILSON

Gaw

May 26, 2004